Object Oriented Programming in Java Week 1

OOP Concepts

- Object, Class, Type
- Methods, Messages
- Behavior-based Design
- Class library, hierarchy
- Claims for Java
- Reading Budd, Ch 1-3, 4
- **Asst** (due next Mon) represent the design for ClickMe as CRC Cards (lab pair hand in) do programs and exercises for Ch. 4 (individual, no hand in)

Abilities & Skills

- Read a design
- Design a small program
- Extract a design
- Run a VAJ program
- Change that program, using the class library
- import/export VAJ code

Object, Class, Type

- Object an encapsulation of state and behavior
- Attributes
- Class, Instance, Hierarchy
- Abstract classes
- Information hiding

Methods, Messages Behavior

- How different from a procedure call
- Method binding
- Polymorphism
- Method overriding
- Exception handling

Responsibility-Driven Design

"The major problem in software development: management of details and communication of information between diverse portions of the project."

- Delegate to a class, responsibility for a task
- Components & Reuse
- Component-Responsibility-Collaborators

Component responsibility responsibility responsibility class class class class class class

Interactive Kitchen Helper

- A PC based application that replaces index-card recipes and assists in meal planning for a period of time (e.g., a week).
 - User actions
 - Browse recipe database
 - Create menus
 - System services
 - Scale recipes for number of servings
 - Print out menus for a week, day or meal
 - Print grocery list

Work with 5 others to finish the IKH CRC design (each person play role of one component)

SOS OOP Fall 2001

CRC Cards for Interactive Kitchen Helper

Greeter

- Display initial msg
- Offer option choice
- Pass control
 - •DB Mgr
 - •Plan Mgr

Collaborators

- DB Manager
- Plan Manager

Date

Maintain info about specific date

- date (year, month, day) -- create new date
- displayAndEdit() -- display date info in window, allow user to edit entries
- buildGroceryList (List&) -- add items from all menus to grocery list

Collaborators

• PlanManager • Meal

Plan Manager

•

Collaborators

• Date

Meal

Collaborators

Recipe Database

•


Collaborators

Recipe

ullet

Collaborators

Interaction Diagrams



Design Process

- Characterize behavior of the entire application.
- Refine the specification.
 - "look and feel"
 - Determine high level structure, mapping activities onto components
- Identify high level system components
- What-who cycle.
- Scenarios.
- Documentation & user manual
- system design documentation
- arguments for/against design alternatives

- project schedule and project diary (status reports)
- formalize the interface
- Define information required by and maintained within each component
- Review components and interface names.
- Assign 1+ component to team members to design data structure(s) and algorithm(s) for each method.
- Implementation
- Identify "facilitator" components.
- Characterize & document component preconditions;
- Unit test.
- Integration.

Design and Development Hints

- When is a component "too big" or small?
- Anticipate change
- Isolate s/w from hardware
- Reduce coupling
- Component should have high cohesion
- Maintain records of design process
- Names should be [Keller 1990]:
- Integrate iteratively, using stubs.
- Use regression testing.

Is Java the "silver bullet"?

- Client-side computing
- Simple
- O-O to the core
- Network savvy.
- Interpreted.
- Robust.
- Secure.

- Architecture neutral.
- Portable.
- High performance
- Multithreaded
- Dynamic

Be prepared to argue for or against these with specific language features and code

In Lab Tomorrow....10-12

- Work with your partner in the ACC
- Gain familiarity with VAJ, take home a copy
- ClickMe (w/ modifications)
 - advanced students to start on BallWorld in VAJ
- Assignment due Monday -- CRC cards for ClickMe

Java Program Structure

```
public static void main ( String [ ] args) { }
                                                                                                                                                                                          type
        access modifiers
                                                                                                               method name
                                                                            return type
                                                                                                                                                                                       arguments
public class BankAccount {
                                 private int accountBalance = 0;
public void display() {
                                  System.out.println
 ("the current account balance is " + accountBalance);
public void main(String[] args) {
                                 deposit (15);
                                 withdrawal (10);
                                 display();
                                  // System.out.println(accountBalance);
             SOS OOP Fall 2001 public void withdrawal (int amount) {
                                                                    a = a_1 + b_1 + b_2 + b_3 + b_4 +
```

A simple class -- BankAccount

```
public class BankAccount {
  private int accountBalance = 0;
public void display() {
  System.out.println
("the current account balance is " + accountBalance);
public void main(String[] args) {
  deposit (15); withdrawal (10); display();
public void withdrawal (int amount) {
      accountBalance = accountBalance - amount;
```